# Impact of Work Environment upon Housekeeping Services Staff's Health Status at Medical City in Baghdad City

أثر بيئة العمل على الحالة الصحية للعاملين في خدمات التنظيف

فى مدينة الطب فى مدينة بغداد

Ghufran Abdul Aziz Abdul Rahman Ahmad, MScN\* Zahid jasim Mohammed, PhD\*\* Aysin Kamal Mohammed Noori, PhD\*\*\*

\* Clinical Nurse Specialist, Medical City, Ministry of Health e-mail:lady.afoo@yahoo.com \*\*Assistant professor, Basic science Department, College of Nursing, University of Baghdad e-email: Zahid\_jasim2000@yahoo.com

# \*\*\*Instructor, Community Health Nursing Department, College of Nursing, University of Baghdad e-mail:aysin\_kamal@yahoo.com

المستخلص

الأهداف: لتقويم بيئة العمل والحالة الصحية للعاملين في خدمات التنظيف وكذلك تحديد أثر بيئة العمل على العاملين في خدمات التنظيف. المنهجية: إستخدم تصميم وصفي خلال الدراسة الحالية لتقويم بيئة عمل العاملين في خدمات التنظيف وحالتهم الصحية وكذلك تحديد أثر بيئة العمل على حالتهم الصحية من الثالث من تشرين ثاني ٢٠١٧ إلى الثلاثون من حزيران ٢٠١٨. أختيرت عينة غرضية غير إحتمالية من (١٠١) عامل تنظيف للدراسة الحالية. تم بناء أداة لغرض الدراسة مكونة من (٥) أجزاء: (١) الصفات الديمو غرافية-الإجتماعية و(٢) المعلومات عن العمل و(٣) المعلومات عن إدارة الصحة والسلامة المهنية و(٤) تقويم بيئة العمل و(٥) تقويم الحالة الصحية للعاملين في خدمات التنظيف. إجريت دراسة إستقرائية لتحديد الصدق والثبات للأداة. تم تحديد صدق المحتوى للأداة بواسطة مجموعة من (٣٥) خبير. لذلك أعتبرت الأداة كمقياس له صدق كاف بعد إجراء الصدق والثبات للأداة. تم تحديد صدق المحتوى للأداة بواسطة مجموعة من (٣٥) خبير. لذلك أعتبرت الأداة كمقياس له صدق كاف بعد إجراء التحديلات المستندة على إستجابات الخبراء. تم تحديد ثبات الإتساق الداخلي للأداة من خلال تقنية شطر الوسط وحساب مرا التحديلات المستندة على استجابات الخبراء. تم تحديد ثبات الإتساق الداخلي للأداة من خلال تقنية أطر الوسط وحساب معام (٣,٨٧) والذي يشير إلى الثبات الكافي للأداة كمقياس. جمعت البيانات من خلال إستخدام أداة الدر اسة وتقنية ألمل على والوسط الحسابي والينات تم تحليل البيانت من خلال إسلوب تحليل البيات الإحصائي الوصفي كالتكرارات والنسب المئوية والوسط الحسابي والوسط الحسابي والقيم الكاني والمعدل وإسلوب تحليل البيانت الإحصائي الوصفي كالتكرار التواند والنسب المئوية والوسل الحسابي والوسط الحسابي والقيم والقيم الكاني

ا**لنتائج**: أُشَارتُ الدراسة إلى أن بيئة العمَّل خطرة بمستوى الوسط (٩٢,١) والحالة الصحية للعاملين في خدمات التنظيف تتراوح مابين معتدلة (٤٢,٦%) إلى جيدة (٤٢,٦%) لأغلبهم. كان لجوانب بيئة العمل البايولوجية والكيميائية والطبيعية بالغ الأثر على الحالة الصحية للعاملين في خدمات التنظيف

ا**لتوصيات**: أوصت الدراسة إلى السيطرة على بيئة العمل للمحافظة على الصحة والسلامة المهنية مع القيام على تقديم الفحص الطبي الدوري للعاملين في خدمات التنظيف وإمكانية إجراء بحوث أخرى لمواقع مختلفة وعينة كبيرة الحجم. **الكلمات المفتاحية: آثر، بينة العمل، العاملون في خدمات التنظيف، الحالة الصحية** 

#### Abstract

**Objective(s):** To evaluate housekeeping services staff work environment and their health status, as well as to determine the impact of the work environment upon their health status.

**Methodology:** A descriptive design is employed throughout the present study to evaluate housekeeping services staff work environment and their health status, as well as to determine the impact of the work environment upon their health status from November  $3^{rd}$  2017 to June  $30^{th}$  2018. A purposive "nonprobability" sample of (101) housekeeping staff is selected for the present study. An instrument is constructed for the purpose of the study and it is consists of (2) parts: (I) Evaluation of work environment, and (II) Evaluation of housekeeping staff's health status. A pilot study is conducted for the determination of the instrument's validity and reliability. The content validity of the instrument is determined by panel of (35) experts. So, the instrument is considered adequately valid measure after performing the modifications that based on the experts' responses. The internal consistency reliability is determined through split-half technique and the computation of Cronbach alpha correlation coefficient of (r=0.87) which is indicated that the instrument is adequately reliable measure. Data are collected through the use of the study instrument and the structured interview technique as means of data collection. Data are analyzed through descriptive statistical analysis approach of frequency, percentage, mean, total score and range and inferential statistical data analysis approach of linear regression.

Results: The study indicates that the work environment is moderately risky (92.1%) and

the housekeeping staff health status is ranging between fair (42.6%) to good (42.6%) for most of them. The biological, chemical and physical aspects of work environment have great impact upon the housekeeping services staff health status.

**Recommendations:** The study recommends that work environment can be monitored to maintain occupational health and safety; periodic medical examination has to be initiated and presented to the housekeeping services staff and further research can be conducted on different settings and large sample size.

Key Words: Impact, Work Environment, Housekeeping Services Staff, Health Status Introduction: patients and visitors,

Housekeeping is defined as the provision of a clean, comfortable and safe environment for the in-mates of that particular area <sup>(1)</sup>. Housekeepers help make sure that hospital wards and other units are clean, safe and attractive places for patient care and the process of keeping a hospital clean and sanitized is usually very complex one. There is much that needs to be considered when hiring housekeeping staff in a hospital. Since the aim is to ensure a clean environment which is conducive to the services provided by a hospital, it important to hire staff that knows how to manage cleaning services in a hospital environment (2)

Housekeeping services, also called environment services, are of paramount importance in providing a safe, clean, pleasant, orderly and functional environment for both patients and hospital personnel <sup>(3)</sup>.

In hospitals, hygiene and cleanliness are of particular importance in reducing the threat of cross infection with the result that housekeeping is highly organized <sup>(4)</sup>.

A clean and hygienic environment has a tremendous psychological impact upon

patients and visitors, which immediately gives them an overall impression of the hospital <sup>(5)</sup>.

It is difficult for people to judge the practice of medicine in any hospital because of their lack of medical knowledge, they often from their opinions about the hospital on the basis of its appearance and cleanliness <sup>(2)</sup>.

Good housekeeping is an asset and a powerful public and patient relation tool. No environment requires more cleanliness than that of a hospital. The fear of infections from hospital waste and other sources is enough to force a hospital's administration to hire many people for housekeeping services. Hospital housekeepers maintain a sterile environment throughout the hospital that they are working for. They make beds, handle waste management duties and replenish linen along with a bevy of other housekeeping duties. Hospital housekeepers rooms, clean patient surgical units. administrative offices and restroom several times a day to keep infection and disease at bay. They also polish furniture, vacuum carpets and distribute clean linen and hospital gowns in their assigned areas. Employment requirements for hospital

housekeepers include a high school diploma at the very least; they also need to be physically dexterous as there is a lot of lifting, bending and stooping involved in this work <sup>(3)</sup>.

In sum, the hospital environment may create or initiate dramatic impact upon housekeeping staffs' health status. So, the present study ought to determine such impact and attempts to identify the relationship between these staffs' health status and their demographic characteristics as they are specified in its objectives.

#### Methodology:

A descriptive design is employed throughout the present study to evaluate housekeeping services staff work environment and their health status, as well as to determine the impact of the work environment upon their health status from November 3<sup>rd</sup> 2017 to June 30<sup>th</sup> 2018.

Official permissions are granted from the Ministry of Planning Central Statistical Organization and the Ministry of Health and Environment Medical City Health Directorate to carry out the study. The permission, after being approved, is presented to the hospitals to ensure the agreement and cooperation.

Consent form is presented and signed by each participant prior to the study

conduct. Such action has been implemented to protect the participants' human rights and facilitate access to them in order to gather the necessary data for the study.

The study is conducted at Medical City in Baghdad City which is comprised of Baghdad Teaching Hospital, Ghazi Al-Hariri for Surgical Specialties Hospital, Child Protection Hospital, Private Nursing Oncology Home Hospital, Teaching Hospital, Gastroenterology and Liver Teaching Hospital, National Center for Teaching Laboratories, Iraqi Center for Cardiology, Bone Marrow Center, and Baghdad Center for Radiological Therapy and Nuclear Medicine. These settings are the designated site for data collection, because all of them are considered main hospitals in Medical City which contain all housekeeping services staff and the largest number of them is located under the same administration (contractor) only in the Medical City Institutions which has facilitated the process of data collection.

A purposive "nonprobability" sample of (101) housekeeping staff is selected for the present study. Therefore, it is also convenient to the study for data collection purposes.

An instrument is constructed for the purpose of the study and it is consists of (2) parts: (I) Evaluation of work environment, and (II) Evaluation of housekeeping staff's health status. A pilot study is conducted for the determination of the instrument's validity and reliability. The content validity of the instrument is determined by panel of So, the instrument is (35) experts. considered adequately valid measure after performing the modifications that based on the experts' responses. The internal consistency reliability is determined through split-half technique and the computation of **Results**:

Cronbach alpha correlation coefficient of (r=0.87) which is indicated that the instrument is adequately reliable measure.

Data are collected through the use of the study instrument and the structured interview technique as means of data collection for the period from February 8<sup>th</sup> 2018 to May 11<sup>th</sup> 2018.

Data are analyzed through descriptive statistical analysis approach of

frequency, percentage, mean, total score and range and inferential statistical data analysis approach of linear regression.

Work Environment	F	%	Μ	SD	
Low risky	0	0			
Moderate risky	93	92.1	2.08	0.271	
High risky	8	7.9	2.00	0.271	
Total	101	100			

#### Table (1): Overall Evaluation of Work Environment

F: Frequency, %: Percentage, M: Mean, SD: Standard Deviation, Low risky= (48-64), Moderate risky= (65-80), High risky= (81-96)

Such overall evaluation depicts that the work environment is moderately risky (92.1%).

#### Table (2): Overall Evaluation of Health Status for Housekeeping

Health Status	F	%	Μ	SD
Poor	15	14.9		
Fair	43	42.6	2.28	0.709
Good	43	42.6		

#### Services Staff

Total	101	100			
-------	-----	-----	--	--	--

F: Frequency, %: Percentage, M: Mean, SD: Standard Deviation, Low = (8-10), Moderate = (11-13), High = (14-16)

This table indicates that the housekeeping staff health status is ranging between fair

(42.6%) to good (42.6%) for most of them.

#### Table (3): Evaluation of the Impact of Work Environment upon

Health status Work	Un standardized Coefficients		Standardized Coefficients	t	Sig.
Environment	В	Std. Error	Beta	·	~-8
Physical	310	.153	218	-2.026	0.046
Chemical	364	.143	249	-2.546	0.013
Biological	.067	.239	.029	.280	0.008
Mechanical	264	.148	186	-1.782	0.078
Psychosocial	.235	.155	.173	1.518	0.132
Fire prevention	.044	.141	.033	.309	0.758
Total	.427	.272	.164	1.570	0.120

#### Health Status among Housekeeping Services Staff

**Dependent variable: Housekeeping Services Staff Health Status** 

Such evaluation depicts that the biological, chemical and physical aspects of work environment have impact upon the housekeeping services staff health status.

#### **Discussion**:

### Part I: Discussion of Overall Evaluation for Work Environment

The overall evaluation of the work environment reveals that the housekeeping staff have experienced moderately risky work environment (Table 1). Environmental hazards in the workplace can range from something as simple as cleaning products not stored properly to the improper handling of bodily fluids. An environmental hazard is any hazard that presents a danger to a surrounding environment. These dangers come in many forms and are not often noticed until an accident occurs. Understanding the various environmental hazards and taking precautions can help prevent accidents <sup>(6)</sup>.

Workplace hazards are classified dangerous and damaging as working environment factors. The dangerous factors could cause a trauma or a sudden worsening of employees' health. It might involve some sort of an unexpected event resulting in an injury. The damaging working environment factor could cause illnesses or the constant decrease in ability to work. In regard to this factor, we can usually talk about its' long-term effect on employees' health. Dangerous working environment factors cause occupational accidents and damaging ones work-related illnesses. The aforementioned dangerous factors are classified under such physical hazards like the moving or sharp parts of machines and devices, insufficient lighting, falling or electrocution hazards and other similar factors. Some are mostly related to a manufacturing process and they are either used (chemical and biological hazards) or generated during work. Others are connected to the unjust and irrational organization of work (physiologic and psychosocial hazards), including long duration of the workday; too intense work; uneven

alteration of work and resting times in the working mode; prolonged forced body position; and overstrain of a group of muscles or organs <sup>(7)</sup>.

A study has attempted to identify psychosocial factors at work that promote positive changes in employee health and factors that prevent negative changes in employee health. Specifically, the study wants to see if certain changes in the work environment would have a positive or negative impact on changes in the general health of the employee. The results show that if employees' perception of leadership and social climate improved, their health would also improve. A decrease in employees' perception of leadership. organizational commitment and experiencing job strain are related to a decrease in their health <sup>(8)</sup>.

The work environment contributes to employee health. A sick environment can threaten health through biological and psychological pathways. A cross-sectional study is designed to examine the effects of nature contact experienced at work on employee stress and health. Office staff at a southeastern university (n=503, 30% response rate) have participated in the study. There is a significant, negative association between nature contact and stress and nature contact and general health complaints. The results indicate that as workday nature contact increased perceived stress and generalized health complaints decreased <sup>(9)</sup>.

## Part II: Discussion of the Housekeeping Services Staff Health Status

Concerning the overall evaluation of health status for housekeeping services staff, the study depicts that most of them have experienced fair to good health status (Table 2). Such findings are obvious in the mean of scores on items that create no effect on their health status of having negative viral tests; do not take sedatives and narcotics on regular base; do not develop cough associated with sputum and blood; and do not develop skin rash and diagnosed eczema.

A cross-sectional study performs a comparison between health behaviors and health status of employees with those of the population, general to evaluate the association between employee health behaviors, health status, and absenteeism. The study enrolls (2433) employees from (16) Korean companies in 2014, and (1000)recruited population general randomly in 2012. The distribution of employee health behaviors, health status, and association with absenteeism are assessed. Employees have significantly worse health status and low rates of health behaviors maintenance compared with the general population. Multiple logistic regression models reveal that regular exercise, smoking cessation, work life balance, proactive living, religious practice, and good physical health status were associated lower with absenteeism. Maintaining health behaviors and having good health status are associated with less absenteeism<sup>(10)</sup>.

A healthy workplace is vital for productivity and employee retention. To maximize employee and workplace wellness, empower the employees to stay healthy or manage their health concerns through a comprehensive set of engagement tools that work with the apps and devices they already use. Using these tools to gather a great quantity of de-identified data will help to plan the health initiatives and coverage <sup>(11)</sup>.

The association between social support and team climate at work and various outcomes are studied in a sample of working population (n = 3347-3430) derived from the Health 2000 Study of the

National Institute for Health and Welfare. Results of the study indicate that there is no difference between gender and the perceived climate. Instead, women team have perceived more social support, both at work and in private life. Low social support, both at work and in private life, is associated with depressive and anxiety disorders and many sleep related problems. Poor team climate is associated with both depressive and anxiety disorders. Low social support from supervisors and from co-workers is associated with subsequent antidepressant use. Poor team climate also predicts antidepressant use during the follow-up. Low social support from the supervisor seems to increase the risk for disability pension. The study recommends that it is important to pay attention to the well-being of employees at work since low social support and poor team climate are associated with mental health problems and future work disability <sup>(12)</sup>.

## Part III: Discussion of the Impact of Work Environment upon Housekeeping Services Staff Health Status

Throughout the course of data analysis, the study findings endorse that the biological, chemical and physical aspects of the work environment have impact upon housekeeping services staff health status (Table 3).

A study is focused on the workplace environment in a health facility and how it affects the health worker. An unsafe health facility environment such as unsuitable furniture, poorly designed workstations, lack of ventilation, excessive noise, inappropriate lighting, poor supervisor support, poor work space, poor communication, poor fire safety measures for emergencies, and lack of protective personal equipment, can adversely affect the productivity of the employee. Health workers in such environment are exposed to occupational diseases such as heat stress, deafness, ergonomic disorders and suffocation. Health worker's productivity and performance can decrease due to poorly planned workplace environment as this adversely affects their morale and may give rise to poor motivation and no job satisfaction as a result, it becomes a challenge for the management to provide a safe work environment for the workers to ensure health, efficiency. productivity and good performance. The relationship between the health worker, work and the workplace environment is very crucial and hence it becomes an integral part of work itself <sup>(13)</sup>.

It has documented that the top workplace factors that directly impact the health of employees are: (1) Job design, including control over work; (2) Overtime and number of hours worked; (3) Providing social support; (4) Conflict between work and family commitments; (5) Perceived fairness and justice at work; (6) Layoffs and economic insecurity; and (7) Offering health When these factors aren't insurance. managed favorably, employees are far more likely to experience a slew of mental and physical health problems including unhealthy weight gain, anxiety, depression, alcoholism, hypertension, cardiovascular disease, and even death  $^{(14)}$ .

It is widely known that being in work is good for people's health and wellbeing, but it's increasingly being recognized that a healthy workforce is beneficial to employers too. By creating a positive, safe and healthy environment for employees, we can increase morale, improve the employees' work-life balance and, in turn, positively impact the business <sup>(15)</sup>.

It has reported the benefits of a healthy work environment that include attract better quality employees; increased productivity; reduced turnovers, reduced healthcare costs; and lower rates of absenteeism <sup>(16)</sup>.

#### **Recommendations**:

1. The housekeeping services staff can be provided with information about

maintaining health status and safe work environment.

2. Work environment can be monitored to maintain occupational health and safety.

3. Periodic medical examination has to be initiated and presented to the

housekeeping services staff.

4. Further research can be conducted on different settings and large sample size.

#### **References**:

 Collins American Dictionary (CAD).
 (2017). The definition of Housekeeping. Available at: <u>https://www.google.iq/search?q=collins+am</u> <u>erican+dictionary+online&oq=collins+ameri</u> <u>can+dictionary&aqs=chrome.2.69i57j015.19</u> <u>460j0j4&sourceid=chrome&ie=UTF-8</u>
 Mountain View Hospital (MVH). (2017). Housekeeping: The Housekeeper. Available at: https://www.google.iq/search?hl=ar&tbm=is

https://www.google.iq/search?hl=ar&tbm=is ch&source=hp&biw=1366&bih=662&ei=o XEhWqScFYzeUfnMuPAH&q=mountain+ view+hospital+las+vegas&oq=mountain+vi ew+

3. Torrez, L. (2012). Hospital Housekeeping Duties. Available at:

http://work.chron.com/safety-hospitalhousekeepers-5896.html 4. Health Careers (HC). (2018). **Housekeeper**. Available at:

https://www.healthcareers.nhs.uk/Exploreroles/wider-healthcare-team/roleswider-healthcare-team/domesticservices/housekeeper 5. Farnen, K. (2018). What Skills Does a Cleaner at a Hospital Need? Available http://work.chron.com/hotelat: housekeeping-qualifications-13154.html 6. Hose, C. (2017). Environmental Workplace Hazards. Available at: https://bizfluent.com/info-8056878environmental-workplace-hazards.html 7. Kuul, S. (2018). Working Environment Hazards. Available at: http://www.tooelu.ee/en/Employer/Working -environment/Organizing-workingenvironment/Risk-Assessment-Risk-Evaluation-and-Supervi Karlsson. (2010).Healthy 8. M. Workplaces: Factors of Importance for Employee Health and Organizational Production. Karolinska Institet, Sweden: Stockholm, pp. 1-40. 9. Largo-Wight, E.; William Chen, W.; Virginia Dodd, C. and Weiler, R. (2011). Healthy Workplaces: The Effects of Nature Contact at Work on Employee Stress and Health. Public Health Rep. 126(Suppl. 1), pp. 124–130. 10. Young, Y.; Jin, S.; Eun-Gee, P.; Dong, P. and Dong-Young, N. (2016). Employee Health Behaviors, Self-Reported Health Status, and Association with Absenteeism: Comparison with the General Population. Journal of Occupational and **Environmental** Medicine, 58(9), pp. 932–939. 11. Get Real Health (GRH). (2017). **Employee and Workplace Wellness.** 

Available

https://getrealhealth.com/employee-andworkplace-wellness/

at:

12. Sinokki, M. (2011). Social Factors at Work and the Health of Employees.

**Studies in Social Security and Health**, 115, pp. 1-107.

13. Edem, M.; Akpan, E. and Pepple, N. (2017). Impact of Workplace

Environment on Health Workers. **Occup Med Health Aff**, 5, pp. 301-307.

14. Rohman, J. (2015). The Top 7 Workplace Factors that Impact Employee

**Health**. Available at: https://www.greatplacetowork.com/resource s/blog/the-

top-7-workplace-factors-that-impactemployee-health

15. Fit for Work (FW). (2015). **Benefits of a Healthy Workforce**. Available at:

<u>https://fitforwork.org/blog/benefits-of-a-</u> <u>healthy-workforce/</u>

16. Thieroff, S. (2016).**Benefits of a Healthy Work Environment**. Available at:

https://www.healthyworksofpa.com/benefits -of-a-healthy-work-environment/

22